



TYQOON GROUP



**PORCELAIN  
SLABS**

900x1800mm

**T R E N D**



TYQOON GROUP

## OUR STORY

TYQOON Group is a Premier Producer and exporter of Porcelain Tiles and Slabs from Ceramic city Morbi, India. We have been committed to innovation and creation in designs that are forward looking demand of market scenario. We endure gratification for each luxury which that we offer, developed to share something truly magnificence.

Our Production plants are equipped with cutting age modern technology and great automation. There is a zero chance for human error in Production facilities. To create symbol, huge production capacity, Imported Machinery, and well experienced technical staff are always ready to meet global demand. Best architecture and interior design are always been our inspiration for our numbers of designs.

Wide range of Sizes and different thicknesses are best part of our collection that gives lots of option to end user. Due to our core principle of business and qualitative products helped us to achieve good name in international market. To become a market leader we truly behave and believe in quality, durability and reliability.



**WE ARE**  
**COMMITTED TO**  
**TECHNOLOGY THAT**  
**ENVISIONS THE FUTURE**

# INDEX

GLOSSY SERIES

01

BOOK MATCH

68



TOPIC WHITE




TYQOON GROUP

## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



ATLANTA WHITE




TYQOON GROUP

## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## BIANCO STATUARIO VENATO



TYQOON GROUP

# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm




THICKNESS  
9mm



900x  
1800mm,

## RANDOM FACE



ICE ONYX-A



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## SATUARIO FANTASTICO



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm




RANDOM FACE





SILK SATUARIO




TYQOON GROUP

## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY


THICKNESS  
9mm



RANDOM FACE



## STATUARIO LUCIDATO




TYQOON GROUP

# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



## RANDOM FACE



STATUARIO NERO



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## STATUARIO PEAR



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



### RANDOM FACE



## STATUARIO SUPER



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



### RANDOM FACE



STATURIO ORO




TYQOON GROUP

## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



RANDOM FACE



WHITE GOLD



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



ACRON GREY



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





ARMANO CLOUD



## PORCELAIN SLABS

---

**SIZE :**  
900x1800mm,

---

**SURFACE**  
GLOSSY


---

**THICKNESS**  
9mm

---



RANDOM FACE



C3 FRENCH SILVER




TYQOON GROUP

## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



MARQUINA\_GREY



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



PIETRA GREY LUCIDATO




TYQOON GROUP

## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



BASRA GRAY




TYQOON GROUP

## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





WHITE ONYX



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



# BLACK BEAUTY




TYQOON GROUP

## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



### RANDOM FACE





ARMANI IRON



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## BELVEDRE PELLE



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



### RANDOM FACE



# BLACK BEAUTY



## PORCELAIN SLABS



SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



### RANDOM FACE





CRYSTAL GREY ONICO




## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



FRENCH STEEL




## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



RANDOM FACE



LOURENT GOLD



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



MARQUINA BLAC




## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





ROSE BLACK




TYQOON GROUP

## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



RANDOM FACE



# BLACK GARNET




## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



### RANDOM FACE



ACRON WHITE



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



BAHAMAS FOREVER



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## BOTTOCHINO CLASSICO BEIGE




# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



### RANDOM FACE





BOTTOCINO FIORTO



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



CREMA MARFIL



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





FRENCH BONE




TYQOON GROUP

## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## FRENCH PORCELAIN




# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



## RANDOM FACE



IVORY ONYX



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



MARFIL BEIGE




TYQOON GROUP

## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



ORLENT BEIGE



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



ACRON CREMA



## PORCELAIN SLABS



**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



TITANIUM BEIGE



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



RANDOM FACE



BRECCIA IVORY



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





## SAPPHIRE CREMA



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



### RANDOM FACE



DYNA HESSONITE




## PORCELAIN SLABS

SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



RANDOM FACE



TRAVO BEIGE



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



TRAVO DARK




## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## BARCELONA BRONZE



# PORCELAIN SLABS



**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



## RANDOM FACE



VALENCIA GREY



TYQOON GROUP




## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## CORALITO CREMA



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## CORALITO LINEN



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE





AMRILLO TRIANNA



## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



RANDOM FACE



MILAN BEIGE



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



RANDOM FACE



DARK EMPRADOR




## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY


THICKNESS  
9mm



RANDOM FACE



# OPERA FANTASY




## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



### RANDOM FACE



WILLIAM GREY



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



FLORINTINE GRISS



TYQOON GROUP




## PORCELAIN SLABS

**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE



## ORIENT BROWN



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



## RANDOM FACE



OROBIKO GRAY



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



RANDOM FACE







## CALIFORNIN BEIGE



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



### RANDOM FACE



CALIFORNIN DARK




## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY


**THICKNESS**  
9mm



RANDOM FACE



LAKME DARK



## PORCELAIN SLABS



SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



RANDOM FACE



## CHEGEN CREMA



# PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm




## RANDOM FACE





TYQOON GROUP



COLLECTION OF  
TIMELESS

DESIGN



**BOOKMATCH**  
GLOSSY



TYQOON GROUP

ARMANI GREY A



ARMANI GREY B



## PORCELAIN SLABS

---

**SIZE :**  
900x1800mm,

---


**SURFACE**  
GLOSSY

---

**THICKNESS**  
9mm



**THICKNESS**  
9mm





TYQOON GROUP

BLUE BRECCIA A



BLUE BRECCIA B



## PORCELAIN SLABS


SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



THICKNESS  
9mm









TYQOON GROUP

OPERA FANTASY A



OPERA FANTASY B



## PORCELAIN SLABS

SIZE :  
900x1800mm,

SURFACE  
GLOSSY

THICKNESS  
9mm



THICKNESS  
9mm





TYQOON GROUP

CARRARA QUEEN A



CARRARA QUEEN B



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



**THICKNESS**  
9mm





TYQOON GROUP

STATORIO ITALIA A



STATORIO ITALIA B



## PORCELAIN SLABS


**SIZE :**  
900x1800mm,

**SURFACE**  
GLOSSY

**THICKNESS**  
9mm



**THICKNESS**  
9mm





# Cleaning & Maintenance

---

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

| TYPE OF STAIN | CHEMICAL PRODUCT   | EXAMPLE                                    |
|---------------|--------------------|--|
| Grease        | Alkaline - Solvent | Detergent                                  |
| Oil           | Solvent            | Ammonia, Baking Soda                       |
| Ink           | Oxidant - Solvent  | Alcohol, Liquid Bleach, Nail Paint Remover |
| Rust          | Acid               | Hydrochloric Acid, Vinegar, Red Harpic     |
| Lime          | Acid               | Descaling Reagent, Hydro Chloric Acid      |
| Cement        | Acid               | Hydro Chloric Acid                         |
| Wine          | Alkaline           | Ammonia, Liquid Bleach                     |
| Coffee        | Alkaline - Solvent | Ammonia, Liquid Bleach                     |
| Rubber        | Solvent            | Alcohol, Thinner                           |
| Plaster       | Acid               | Hydro Chloric Acid                         |
| Candle Wax    | Solvent            | Alcohol, Thinner                           |
| Iodine        | Oxidant            | Liquid Bleach                              |
| Blood         | Oxidant            | Liquid Bleach                              |
| Ice Cream     | Alkaline           | Liquid Bleach                              |

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

## TECHNICAL SPECIFICATION

| CHARACTERISTIC   | STANDARD AS PER<br>ISO13006:2012/<br>EN14411 Gr.BIa | STANDARD AS PER<br>IS15622:2017<br>Gr.BIa | MEAN VALUE OF<br>TYQOON GROUP     | TEST METHOD                |
|--|---|---|-----------------------------------|----------------------------|
| <b>Regulatory Properties</b>                                   |   |   |                                   |                            |
| Deviation in length and width                                  | ± 0.50 %  | ± 0.10 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Deviation in thickness   | ± 5.00 %  | ± 5.00 %                                  | ± 4.00 %                          | ISO 10545-2 & IS 13630-1   |
| Straightness in side   | ± 0.50 %  | ± 0.10 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Rectangularity   | ± 0.60 %  | ± 0.10 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Surface flatness Central Curvature                             | ± 0.50 %  | ± 0.50 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Surface flatness Edge Curvature                                | ± 0.50 %  | ± 0.50 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Surface flatness Warpage                                       | ± 0.50 %  | ± 0.50 %                                  | ± 0.10 %                          | ISO 10545-2 & IS 13630-1   |
| Surface Quality  | > 95% defects free                                  | > 95% defects free                        | > 95% defects free                | ISO 10545-2 & IS 13630-1   |
| Small Color Difference   | ΔE < 0.75   | N.A.                                      | No Change                         | ISO 10545-16               |
| Glossiness (With Nano Polished)                                | As per Manufacturer                                 | As per Manufacturer                       | > 90**                            | Gloss Meter 60°            |
| Glossiness (Without Polished)                                  | As per Manufacturer                                 | As per Manufacturer                       | 7° < GLOSS < 14**                 | Gloss Meter 60°            |
| Glossiness (Satin)   | As per Manufacturer                                 | As per Manufacturer                       | 15° < GLOSS < 25**                | Gloss Meter 60°            |
| <b>Structural Properties</b>                                   |   |   |                                   |                            |
| Water absorption   | ≤ 0.50 %  | ≤ 0.080 %                                 | ≤ 0.050 %                         | ISO 10545-3 & IS 13630-2   |
| Bulk density   | > 2.00 g/cc   | Min. 2.20 g/cc                            | > 2.28 gm/cc                      | DIN51082 & IS 13630-2      |
| <b>Massive Mechanical Properties</b>                           |   |   |                                   |                            |
| Modulus of rupture   | Min. 35.0 N/mm <sup>2</sup>                         | Min. 35.0 N/mm <sup>2</sup>               | Min. 37.0 N/mm <sup>2</sup>       | ISO 10545-4 & IS 13630-6   |
| Breaking strength thickness <7.5                               | Min. 700.0 N  | Min. 700.0 N                              | Min. 1000.0 N                     | ISO 10545-4 & IS 13630-6   |
| Breaking strength thickness ≥7.5                               | Min. 1300.0 N                                       | Min. 1100.0 N                             | Min. 1600.0 N                     | ISO 10545-4 & IS 13630-6   |
| <b>Surface Mechanical Properties</b>                           |   |   |                                   |                            |
| MOH'S hardness   | Min. 4  | Min. 5                                    | Min 4**                           | EN 101 & IS 13630-13       |
| Surface abrasion resistance-Glossy #                           | As per Manufacturer                                 | Min. Class II                             | Min. Class 2 / Min. Class II      | ISO 10545-7 & IS 13630-11  |
| Surface abrasion resistance-Matt #                             | As per Manufacturer                                 | Min. Class II                             | Min. Class 3 / Min. Class II      | ISO 10545-7 & IS 13630-11  |
| <b>Thermal Hygrometric Properties</b>                          |   |   |                                   |                            |
| Moisture expansion   | Max. 0.06   | Max. 0.02                                 | NIL                               | ISO 10545-10 & IS 13630-3  |
| Thermal expansion(COE) at 100°C                                | As per Manufacturer                                 | Max. 7.0 x 10 <sup>-6</sup>               | Max. 6.0 x 10 <sup>-6</sup>       | ISO 10545-8 & IS 13630-4   |
| Thermal shock resistance                                       | Min. 10 Cycle                                       | Min. 10 Cycle                             | Min. 10 Cycle                     | ISO 10545-9 & IS 13630-5   |
| Crazing Resistance at 7.5 Bar                                  | As per Manufacturer                                 | Min. 4 Cycle                              | Min. 6 Cycle                      | ISO 10545-11 & IS 13630-9  |
| Impact resistance(COR)   | As per Manufacturer                                 | Min. 0.55                                 | Min. 0.55                         | ISO 10545-5 & IS 13630-14  |
| Frost resistance   | As per Manufacturer                                 | As per Manufacturer                       | Frost Proof                       | ISO 10545-12 & IS 13630-10 |
| <b>Chemical Properties</b>                                     |   |   |                                   |                            |
| Resistance to Staining Glazed                                  | Min. Class 3  | Min. Class I                              | Min. Class 4/Min. Class I         | ISO 10545-14 & IS 13630-8  |
| Resistance to Household Chemicals & Swimming Pool Salts Glazed | Min. Class GB                                       | Min. Class AA                             | Min. Class GA/Min. Class AA       | ISO 10545-13 & IS 13630-8  |
| **Resistance to Low Concentrate Acid and Alkalis Glazed        | As per Manufacturer                                 | As per Manufacturer                       | Min. Class GLB***/Min. Class A*** | ISO 10545-13 & IS 13630-8  |
| **Resistance to High Concentrate Acid and Alkalis Glazed       | As per Manufacturer                                 | As per Manufacturer                       | Min. Class GHB***/Min. Class A*** | ISO 10545-13 & IS 13630-8  |
| <b>Safety Properties</b>                                       |   |   |                                   |                            |
| Skid resistance(DCOF-DRY)                                      | As per Manufacturer                                 | As per Manufacturer                       | > 0.40                            | ISO 10545-17               |
| Slip resistance(DCOF) ( R value )#                             | As per Manufacturer                                 | As per Manufacturer                       | N.A.                              | ISO 10545-17               |
| Determination of Lead & Cadmium Release for Glazed Tiles       | As per Manufacturer                                 | N.A.                                      | Dose not yield Pb & Cd            | ISO 10545-15               |
| Fire Resistance  | As per Manufacturer                                 | As per Manufacturer                       | Fire Proof                        | N.A.                       |

\* Glossiness 90% with nano technology \*\* Without nano technology (Unpolished Vitirified tiles) \*\*\* Except Hydrofluoric Acid & it's compound # Glaze tiles Intended for use on floor ## As per customer requirement

## Packing Details

| SIZE                  | THICKNESS | TILES / BOX | COVERAGE AREA / BOX         |
|-----------------------|-----------|-------------|-----------------------------|
| 90x180cm / 900x1800mm | 9mm       | 2 pcs.      | 3.24 sq. mtr. 34.87 sq. ft. |



HEADQUARTER OFFICE:  
Office-02 , Maruti Chamber,  
B/h. Ceramic Plaza, 8-A NH,  
Morbi-363642,Gujarat-India.

LET'S TALK:  
+91 99097 99399  
+91 95123 40309  
+91 95123 40308 (Helpline Number)

E-MAIL US:  
info@tyqoon.in  
export@tyqoon.in

WEB SITE:  
www.tyqoon.in